

**Notice of Allowability**

Application No.

09/522,711

Examiner

Duy M. Dang

Applicant(s)

KENMOCHI, TAKASHI

Art Unit

2621

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 2/17/05 & 3/8/05.
2. ☒ The allowed claim(s) is/are 1,8 and 21-28.
3. ☒ The drawings filed on 10 March 2000 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 11/20/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

SEPH MANCUE  
PRIMARY EXAMINER

### **DETAILED ACTION**

1. Applicant's amendment filed 2/17/05 and 3/8/05 have been entered and made of record.
2. Applicant's arguments, see first two full paragraphs of page 9, filed 2/17/05, with respect to claim 21-22 and 25-26 have been fully considered and are persuasive. The rejection of claims 21-22 and 25-26 has been withdrawn.
3. Claims 1, 8 and 21-28 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1 and 8 are allowed because the cited prior art (US Patent 5,654,759 to Augenbraun et al.) fails to teach or suggest the features of: a counter to count the number of integrated impulses of the integrated detection signal per predetermined unit of image carried by the input video signal; a plurality of delay section each delaying the counted number by a period decided based on the predetermined unit of image, thus outputting count signals for succeeding images in the predetermining unit of image, and a median section to select a middle count signal among the count signals, which is the middle in level, the middle count signal being compared with the reference signal.

Regarding claims 21 and 25, the cited prior art (US Patent 5,654,759 to Augenbraun et al.) fails to teach or suggest of: detect solitary differentiated points on the differentiated signal and output a first detection signal having a first level for each solitary differentiated point and a second level for each portion of the differentiated signal at which no solitary differentiated point is detected; and in combination with other claimed features. Dependent claims 22-24 and 26-28 are also allowed for the same reasons as above.


Art Unit: 2621


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duy M. Dang whose telephone number is 571-272-7389. The examiner can normally be reached on Monday to Friday from 5:30AM to 2:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Mancuso can be reached on 571-272-7695. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
dmd  
6/05

  
JOSEPH MANCUSO  
PRIMARY EXAMINER